

Day : Thursday
Date: 3/10/2005

Time: 12:10:13


PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = LABERGE

First Name = MICHEL

Application#	Patent#	Status	Date Filed	Title	Inventor Name
08543428	5818498	150	10/16/1995	METHOD OF MULTI-CHANNEL THERMAL RECORDING	LABERGE, MICHEL
09272746	6181362	250	03/11/1999	FAULT TOLERANT LASER DIODE ARRAY	LABERGE, MICHEL
09842031	6660997	150	04/26/2001	ABSOLUTE POSITION MOIRE TYPE ENCODER FOR USE IN A CONTROL SYSTEM	LABERGE, MICHEL
09842225	6763160	150	04/26/2001	OPTICAL CROSS CONNECT SWITCH HAVING IMPROVED ALIGNMENT CONTROL SYSTEM	LABERGE, MICHEL
10507323	Not Issued	020	09/10/2004	APPARATUS AND METHOD FOR FUSION REACTOR	LABERGE, MICHEL
10692848	Not Issued	071	10/27/2003	OPTICAL CROSS-CONNECT SWITCH	LABERGE, MICHEL
07987976	5305091	150	12/07/1992	OPTICAL COORDINATE MEASURING SYSTEM FOR LARGE OBJECTS	LABERGE, MICHEL G.
07987979	Not Issued	161	12/07/1992	OMNIDIRECTIONAL RETROREFLECTOR	LABERGE, MICHEL G.
08706395	5920394	150	08/30/1996	OPTICAL COORDINATE MEASURING MACHINE	LABERGE, MICHEL G.
09228077	6252622	150	01/06/1999	FAULT TOLERANT LASER DIODE ARRAY	LABERGE, MICHEL G.
60344240	Not Issued	159	01/02/2002	SPHERICAL PULSED PLASMA IMPLOSION FUSION REACTOR	LABERGE, MICHEL GEORGES
60363401	Not Issued	159	03/12/2002	SPHERICALLY CONVERGENT PRESSURE WAVE FUSION REACTOR	LABERGE, MICHEL GEORGES

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name	First Name	<input type="button" value="Search"/>
	<input type="text" value="LABERGE"/>	<input type="text" value="MICHEL"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	4	(moire same detect\$4 near12 pattern\$3) and (encod\$4 same pattern\$3 same (control\$4 align\$5 monitor\$4)) and (encod\$4 same intensit\$4)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/03/10 11:16
2	BRS	L2	7	(moire same detect\$4 same pattern\$3) and (encod\$4 same pattern\$3 same (control\$4 align\$5 monitor\$4)) and (encod\$4 same intensit\$4)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/03/10 11:17
3	BRS	L3	1	10/692848	US- PGPUB; USPAT	2005/03/10 11:21
4	BRS	L4	1	3 and (retic\$3 same encod\$4 same patter\$4)	US- PGPUB; USPAT	2005/03/10 11:21

	Comments	Error Definition	Errors
1			
2			
3			
4			

	Type	Hits	Search Text
1	BRS	1	10/692848
2	BRS	784022	moire near3 inteference near US-4333009-A.DID. pattern\$1
3	BRS	31548	"385"/\$.ccls.
4	BRS	0	(moire near3 inteference near4 pattern\$1).ab.
5	BRS	0	(moire near3 inteference near4 pattern\$1).ti.
6	BRS	0	(moire near3 inteference).ti.
7	BRS	1	(moire near3 inteference)". "ab."
8	BRS	1	(moire near3 inteference) and ((moire near3 inteference)". "ab.")
9	BRS	2039989	"18" and "19"
10	BRS	8197	(moire near3 inteference near US-4333009-A.DID. pattern\$1) and "385"/\$.ccls.
11	BRS	4473	((moire near3 inteference near US-4333009-A.DID. pattern\$1) and "385"/\$.ccls.) and align\$6
12	BRS	1	((((moire near3 inteference near US-4333009-A.DID. pattern\$1) and "385"/\$.ccls.) and align\$6) and swiches
13	BRS	1088	((((moire near3 inteference near US-4333009-A.DID. pattern\$1) and "385"/\$.ccls.) and align\$6) and swiches
14	BRS	170	(((((moire near3 inteference near US-4333009-A.DID. pattern\$1) and "385"/\$.ccls.) and align\$6) and swiches) and fibers near9 swiches
15	BRS	24	(((((moire near3 inteference near US-4333009-A.DID. pattern\$1) and "385"/\$.ccls.) and align\$6) and swiches) and moire
16	BRS	1	10/692848 and (project\$4 pattern\$4) same (control\$4 near9 (signal\$1 pattern\$3 radiation\$1))

	DBs	Time Stamp	Comments	Error Definition
1	US-PGPUB; USPAT	2005/03/10 11:21		
2	US-PGPUB; USPAT	2004/09/27 11:20		
3	US-PGPUB; USPAT	2004/09/27 11:19		
4	US-PGPUB; USPAT	2004/09/27 11:20		
5	US-PGPUB; USPAT	2004/09/27 11:23		
6	US-PGPUB; USPAT	2004/09/27 11:21		
7	US-PGPUB; USPAT	2004/09/27 11:21		
8	US-PGPUB; USPAT	2004/09/27 11:23		
9	US-PGPUB; USPAT	2004/09/27 11:24		
10	US-PGPUB; USPAT	2004/09/27 11:24		
11	US-PGPUB; USPAT	2004/09/27 11:25		
12	US-PGPUB; USPAT	2004/09/27 11:25		
13	US-PGPUB; USPAT	2004/09/27 11:26		
14	US-PGPUB; USPAT	2004/09/27 11:27		
15	US-PGPUB; USPAT	2004/09/27 14:48		
16	US-PGPUB; USPAT	2004/09/27 13:24		

	Errors	Ref #
1		S19
2		S20
3		S21
4		S22
5		S23
6		S24
7		S25
8		S26
9		S27
10		S28
11		S29
12		S30
13		S31
14		S32
15		S33
16		S34

	Type	Hits	Search Text
17	BRS	331	moire same detect\$4 near12 pattern\$3
18	BRS	9524	encod\$4 same pattern\$3 same (control\$4 align\$5 monitor\$4)
19	BRS	1079	encod\$4 same pattern\$3 same intensit\$4
20	BRS	2	(moire same detect\$4 near12 pattern\$3) and (encod\$4 same pattern\$3 same (control\$4 align\$5 monitor\$4)) and (encod\$4 same pattern\$3 same intensit\$4)
21	BRS	7630	encod\$4 same intensit\$4
22	BRS	4	(moire same detect\$4 near12 pattern\$3) and (encod\$4 same pattern\$3 same (control\$4 align\$5 monitor\$4)) and (encod\$4 same intensit\$4)
23	BRS	0	(moire same detect\$4 near12 pattern\$3) and (encod\$4 same pattern\$3 same (control\$4 align\$5 monitor\$4)) and (encod\$4 same intensit\$4)
24	BRS	0	(moire same detect\$4 near12 pattern\$3) and (encod\$4 same pattern\$3 same (control\$4 align\$5 monitor\$4)) and (encod\$4 same detect\$4 same power)
25	BRS	2	(moire same detect\$4 near12 pattern\$3) and (encod\$4 same pattern\$3 same (control\$4 align\$5 monitor\$4)) and (encod\$4 same power)
26	BRS	1	(moire same detect\$4 near12 pattern\$3) and (encod\$4 same pattern\$3 same (control\$4 align\$5 monitor\$4)) and (encod\$4 same power)
27	BRS	3	("4429267" "6133986" "6087655").pn.
28	BRS	1	((("6133986").pn.) and (communi\$5 switch\$5)
29	BRS	1	((("6133986").pn.) and (transmi\$7 receiv\$5 switch\$5)

	DBs	Time Stamp	Comments	Error Definition
17	US-PGPUB; USPAT	2004/09/27 13:32		
18	US-PGPUB; USPAT	2004/09/27 13:33		
19	US-PGPUB; USPAT	2004/09/27 13:38		
20	US-PGPUB; USPAT	2004/09/27 14:49		
21	US-PGPUB; USPAT	2004/09/27 13:38		
22	US-PGPUB; USPAT	2005/03/10 11:16		
23	EPO; JPO; DERWENT	2004/09/27 13:43		
24	US-PGPUB; USPAT	2004/09/27 13:45		
25	US-PGPUB; USPAT	2004/09/27 14:18		
26	EPO; JPO; DERWENT	2004/09/27 13:46		
27	US-PGPUB; USPAT	2004/09/27 14:37		
28	US-PGPUB; USPAT	2004/09/27 14:41		
29	US-PGPUB; USPAT	2004/09/27 14:41		

	Errors	Ref #
17		S35
18		S36
19		S37
20		S38
21		S39
22		S40
23		S41
24		S42
25		S43
26		S44
27		S45
28		S46
29		S47

	Type	Hits	Search Text
30	BRS	21058	(project\$5 imag\$4) same (radi\$5 beam\$1 wavelength\$1 light) same pattern\$4 same (control\$4 monitor\$4 align\$5)
31	BRS	0	((("4429267" "6133986" "6087655").pn.) and ((project\$5 imag\$4) same (radi\$5 beam\$1 wavelength\$1 light) same pattern\$4 same (control\$4 monitor\$4 align\$5))
32	BRS	1	((("4429267" "6133986" "6087655").pn.) and (project\$5 imag\$4) same (radi\$5 beam\$1 wavelength\$1 light) same pattern\$4
33	BRS	3	((("4429267" "6133986" "6087655").pn.) and (signal\$4 feedback feed) same (control\$4 monitor\$4 align\$5)
34	BRS	3	((("4429267" "6133986" "6087655").pn.) and (signal\$4 feedback feed) same (control\$4 monitor\$4 align\$5) and pattern\$4
35	BRS	1	((("6133986").pn.) and (signal\$4 feedback feed) same (control\$4 monitor\$4 align\$5) and pattern\$4
36	BRS	1	((("6133986").pn.) and (signal\$4 feedback feed) same (control\$4 monitor\$4 align\$5) and pattern\$4) and (pattern\$4 same lens\$2 same (detect\$6 photo photodetect\$5 photodiod\$2))
37	BRS	1	((("6133986").pn.) and (signal\$4 feedback feed) same (control\$4 monitor\$4 align\$5)
38	BRS	1	((("6133986").pn.) and (signal\$4 feedback feed) same (control\$4 monitor\$4 align\$5)) and (pattern\$4 same lens\$2 same (project\$4 detect\$6 photo photodetect\$5 photodiod\$2))
39	BRS	1	((("6133986").pn.) and (signal\$4 feedback feed) same (control\$4 monitor\$4 align\$5) and pattern\$4) and (pattern\$4 same (microlens\$3 lens\$2) same (detect\$6 photo photodetect\$5 photodiod\$2))

	DBs	Time Stamp	Comments	Error Definition
30	US-PGPUB; USPAT	2004/09/27 14:54		
31	US-PGPUB; USPAT	2004/09/27 14:52		
32	US-PGPUB; USPAT	2004/09/27 14:54		
33	US-PGPUB; USPAT	2004/09/27 15:23		
34	US-PGPUB; USPAT	2004/09/27 15:24		
35	US-PGPUB; USPAT	2004/09/27 15:33		
36	US-PGPUB; USPAT	2004/09/27 15:34		
37	US-PGPUB; USPAT	2004/09/27 15:36		
38	US-PGPUB; USPAT	2004/09/28 15:18		
39	US-PGPUB; USPAT	2004/09/27 15:35		

	Errors	Ref #
30		S48
31		S49
32		S50
33		S51
34		S52
35		S53
36		S54
37		S55
38		S56
39		S57

	Type	Hits	Search Text
40	BRS	1	((("6133986").pn.) and (signal\$4 feedback feed) same (control\$4 monitor\$4 align\$5) and pattern\$4) and (pattern\$4 same (microlens\$3 lens\$2) same (detect\$6 photo photodetect\$5 photodiod\$2))) and (signal\$4 feedback feed) same (control\$4 monitor\$4 align\$5)
41	BRS	1	(((((("6133986").pn.) and (signal\$4 feedback feed) same (control\$4 monitor\$4 align\$5) and pattern\$4) and (pattern\$4 same (microlens\$3 lens\$2) same (detect\$6 photo photodetect\$5 photodiod\$2))) and (signal\$4 feedback feed) same (control\$4 monitor\$4 align\$5)) and (feed\$6 control\$4 monitor\$4)
42	BRS	1	((((((("6133986").pn.) and (signal\$4 feedback feed) same (control\$4 monitor\$4 align\$5) and pattern\$4) and (pattern\$4 same (microlens\$3 lens\$2) same (detect\$6 photo photodetect\$5 photodiod\$2))) and (signal\$4 feedback feed) same (control\$4 monitor\$4 align\$5)) and (feed\$6 control\$4 monitor\$4)) and (light beam\$1 radi\$6 wavelength\$1)
43	BRS	1	((("6133986").pn.) and (output\$1 channel\$3)
44	BRS	1	10/692848
45	BRS	1	10/692848 and (channels same output\$5)
46	BRS	1	((("6133986").pn.) and (encod\$4 same pattern\$3 same (control\$4 align\$5 monitor\$4))
47	BRS	1	((("6133986").pn.) and (encod\$4 same pattern\$3 same (control\$4 align\$5 monitor\$4)) and encod\$5 and intensit\$5
48	BRS	1	((("6133986").pn.) and (intensit\$5 same (pattern\$1 moire))
49	BRS	1	("6133986").pn.

	DBs	Time Stamp	Comments	Error Definition
40	US-PGPUB; USPAT	2004/09/27 15:54		
41	US-PGPUB; USPAT	2004/09/27 16:03		
42	US-PGPUB; USPAT	2004/09/27 18:08		
43	US-PGPUB; USPAT	2004/09/27 18:09		
44	US-PGPUB; USPAT	2004/09/27 18:34		
45	US-PGPUB; USPAT	2004/09/27 18:34		
46	US-PGPUB; USPAT	2004/09/27 18:43		
47	US-PGPUB; USPAT	2004/09/27 19:23		
48	US-PGPUB; USPAT	2004/09/27 19:23		
49	US-PGPUB; USPAT	2004/09/28 12:15		

	Errors	Ref #
40		S58
41		S59
42		S60
43		S61
44		S62
45		S63
46		S64
47		S65
48		S66
49		S14

	Type	Hits	Search Text
50	BRS	1	S14 and (switch\$4 transm\$5 trans\$5) and signal\$3
51	BRS	1	S14 and encoder\$2
52	BRS	1	("6133986").pn.
53	BRS	1	"5960146".pn.

	DBs	Time Stamp	Comments	Error Definition
50	US-PGPUB; USPAT	2004/09/28 12:45		
51	US-PGPUB; USPAT	2004/09/28 12:45		
52	US-PGPUB; USPAT	2004/09/28 15:18		
53	US-PGPUB; USPAT	2004/09/28 15:53		

	Errors	Ref #
50		S15
51		S16
52		S17
53		S18